

NEW!



Lechler GmbH
 Agricultural Nozzles and Accessories
 P.O. Box 13 23
 72544 Metzingen / Germany
 Phone + 49 (7123) 962-0
 Fax + 49 (7123) 962-480
 E-Mail: info@lechler.de
 Internet: www.lechler-agri.com

Lechler Pocketwind IV + Humidity



The new Lechler POCKETWIND IV with self-calibrating humidity sensor.

Measured data

- Humidity
 - % pF
 - Dew point
 - ΔT
 - Wet bulb
- Wind speed
 - Maximum wind
 - Average
 - Selectable units of measure: m/s, km/h, fpm, mph, kn, bft
- Temperature / wind-chill
 - Selectable units of temperature: °C, °F
- Wind direction
 - Digital compass
 - Integrated vane

For best results in plant protection it is necessary to have knowledge of temperature, humidity and windspeed to specify appropriate parameters as nozzle choice, spray volume and travel speed.

Suitability depending on windspeed:

 LU	→		
 AD	→→		
 IDK	 IDKN	→→→	→
 ID	 IDN	→→→	→



Features

- Back lighted display
- Water resistant and shock proof housing
- Neck cord
- Cover for best protection against damage and dirt

Rule of thumb:

The higher the wind speed, the larger the nozzle size in combination with minimal pressure is recommended. The day curve of wind speeds should be considered when spray application is planned. Typically, the lowest wind can be expected in the evening, overnight and early in the morning.